

Saline - Sodic Soils

Chapter 10

Concepts to Master

- Sources of alkalinity
- Carbonate equilibria
- Classes of salt-affected soils
 - Saline, Saline-sodic, Sodic
- Plant tolerance
- Reclamation of salt-affected soils

Introduction

- Found on more than 1/2 the Earth's arable land
- Rangelands, dryland farming, and irrigated agriculture
- Precipitation insufficient to leach base cations and soluble salts (e.g. Ca^{+2} , K^+ , NaCl , and MgCl_2)

Introduction

- Irrigation can make soils into extremely productive
- Conversely irrigation can cause salt problems
 - Waters carry high quantity of dissolved solutes
 - Insufficient drainage
- 1/3 irrigated lands have salt problems

Introduction

- Acidity generated by Al^{+3} and H^{+}
- Alkalinity generated by base cations
 - Ca^{+2} , Mg^{+2} , K^{+} , Na^{+}
- Humid regions (high rainfall) base cations are leached
 - Colloids have low base saturation

Introduction

- Arid regions (low rainfall) base cations are conserved
 - Cations generated by primary mineral weathering
 - Soluble salts and cations also generated by low quality irrigation water

Role of Carbonates and Bicarbonates

- $\text{CO}_2 + \text{H}_2\text{O} = \text{H}_2\text{CO}_3$
- $\text{H}_2\text{CO}_3 + \text{OH}^- = \text{HCO}_3^- + \text{H}_2\text{O}$ $\text{pK}_a = 6.35$
- $\text{HCO}_3^- + \text{OH}^- = \text{CO}_3^{2-} + \text{H}_2\text{O}$ $\text{pK}_a = 10.33$
- Based on the above equations as pH increases HCO_3^- and CO_3^{2-} will be the dominate species
- CO_2 concentration in soils much higher than atmosphere

Carbonate, Cations, and pH

- Bicarbonate dominated system will have a pH of about 8.3
- The ubiquity of CO_2 in soils ensures that alkalinity accumulates in the form of carbonate and bicarbonate salts
- Base cations associated with carbonate anions determines severity of alkalinity in soils




Figure 10.1

Carbonate, Cations, and pH


Carbonate	Solubility (g/liter)
CaCO ₃	0.014
MgCO ₃	1.76
Na ₂ CO ₃	71
K ₂ CO ₃	1120

Carbonate, Cations, and pH


- Bicarbonate forms of all cations are quite soluble ensuring high levels of HCO₃⁻
– HCO₃⁻ + H₂O = H₂CO₃ + OH⁻
- High concentration of carbonate (CO₃²⁻) anions in Na system can produce very high pH values

Carbonate, Cations, and pH

- Na₂CO₃ = 2Na⁺ + CO₃²⁻
- CO₃²⁻ + H₂O = HCO₃⁻ + OH⁻
- CaCO₃ = Ca⁺² + CO₃²⁻ (insoluble)
- Hence soils derived from primary minerals rich in Ca and Mg will experience lower pH values than Na
- Ca dominant cation in most alkaline soils



- ### Nonsaline Arid Soils
- Nutrient deficiencies
 - P deficiencies (insoluble Ca and Mg phosphates)
 - Micronutrient deficiencies (Cations and Boron)
 - Chelates
 - Molybdenum toxicity
 - CEC higher than humid soils
 - Dominated by 2:1 minerals
 - pH dependent CEC



Development of Salt-Affected Soils

- Insufficient precipitation to leach salts
 - Formed during primary mineral weathering or brought to soil through rainfall or irrigation
- Primarily chlorides and sulfates of calcium, magnesium, sodium, potassium
- Fossil deposits of extinct lakes, oceans, or underground saline water pools

Development of Salt-Affected Soils

- Irrigation induced
 - Irrigation waters may contain significant quantities of soluble salts
 - Salts may accumulate
 - Not well drained
 - Insignificant quantity of water
 - Disaster to ancient cultures




Figure 10.4

Measuring Salinity and Alkalinity

- Salinity
 - Measured via electrical conductivity (decisiemens per meter dS/m)
 - Saturated paste extract
 - Apparent EC in field
 - Electromagnetic induction in field
 - Should be measured when soil is at field capacity

Measuring Salinity and Alkalinity

- Sodium status - soil structure problems
 - Exchangeable sodium percentage - (ESP) degree to which the exchange complex is saturated with sodium

$$ESP = \frac{\text{Exchangeable sodium, cmol}_e/\text{kg}}{\text{CEC, cmol}_e/\text{kg}} \times 100$$

- ESP levels of 15 or greater are associated with pH values of 8.5 or higher

Measuring Salinity and Alkalinity

- Sodium adsorption ratio (SAR) - gives measurement of the comparative conc. of Na⁺, Mg⁺², and Ca⁺² in solution

$$SAR = \frac{[Na^+]}{\sqrt{1/2 ([Ca^{+2}] + [Mg^{+2}])}}$$

- Takes into consideration that the adverse affect of Na is moderated by Ca and Mg

Measuring Salinity and Alkalinity

- SAR is related to the ESP through the process of cation exchange
- Empirical relationship between SAR and ESP

$$\frac{ESP}{100 - ESP} = 0.015 SAR$$

Classes of Salt-Affected Soils


- Saline Soils - accumulation of neutral soluble salts (salinization)
- EC > 4 dS/m
- White alkali soils
- ESP < 15
- SAR < 13
- pH < 8.5
- Crop growth affected by excess salts

Classes of Salt-Affected Soils

- Saline-Sodic soils
- EC > 4 dS/m
- ESP > 15 and SAR at least 13
- Crop growth adversely affected by excess salts and excess sodium
- Subject to rapid change

Classes of Salt-Affected Soils

- Sodic soils
- EC < 4 dS/M
- ESP > 15 and SAR > 13
- pH > 8.5 hydrolysis of sodium carbonate



Classes of Salt-Affected Soils

- Plant growth constrained by high levels of Na^+ , OH^- , and HCO_3^- and poor soil structure
 - Na^+ causes soil to be in a dispersed condition due to the large hydrated radius of Na^+
- Black alkali soils - dispersed humus




Figure 10.7

Plant Growth

- Saline and Saline-Sodic soils - High salts move water out of roots collapsing cells
- Sodic soils
 - High pH
 - Toxicity of bicarbonate
 - Adverse affects of sodium
 - Low micronutrient availability
 - O₂ deficiency due to poor soil structure

Plant Growth

- Salt tolerance of plants
 - Four general groups
 - Sensitive
 - Moderately sensitive
 - Moderately tolerant
 - Tolerant




Figure 10.11

Management of Saline and Sodic Soils

- Water quality
 - High SAR levels increase formation of sodic soils
 - Bicarbonates reduce levels of Ca^{+2} and Mg^{+2}
 - Concentrate elements to toxic levels (e.g. Se and Mo)

Reclamation of Saline Soils

- Ample irrigation water with low SARs and good soil drainage
- Leaching requirement or LR (crop specific)
 - $\text{LR} = \text{EC}_w / \text{EC}_{dw}$
 - LR is water added in excess of the moisture needed to wet soil and meet ET
 - Dependent on quality of irrigation water and crop to be grown, and placement of irrigation water

Reclamation of Saline-Sodic Soils

- Adverse properties of both saline and sodic soils
- Leaching of soluble salts may increase ESP and pH
 - Reduce the level of exchangeable sodium
 - CaSO_4 (gypsum)
 - Remove excess salts

Reclamation of Saline-Sodic
Soils

- Gypsum ($\text{CaSO}_4 \cdot \text{H}_2\text{O}$)
- $2\text{NaHCO}_3 + \text{CaSO}_4 = \text{CaCO}_3 + \text{Na}_2\text{SO}_4 + \text{CO}_2 + \text{H}_2\text{O}$
- $\text{Clay} - 2\text{Na}^+ + \text{CaSO}_4 = \text{Clay} - \text{Ca}^{+2} + \text{Na}_2\text{SO}_4$
- Soluble salt (Na_2SO_4) is easily leached from soil
- Sulfuric acid produces similar effect

Summary

- If properly managed dryland soils can be extremely productive
- Water quality issues
- More research is needed to more thoroughly understand physical and chemical processes in salt effected soils
